



Message Passing and MPI

Abhinav Bhatele, Department of Computer Science




UNIVERSITY OF
MARYLAND

Announcements


- If you registered for the course recently, please email the TAs for a deeptought2 account
- Assignment 0 will be posted on Sept 20 and will be due on Sept 27
 - Not graded, 0 points

Shared memory architecture

- All processors/cores can access all memory as a single address space



Uniform Memory Access




Non-uniform Memory Access (NUMA)


https://computing.llnl.gov/tutorials/parallel_comp/#SharedMemory

Distributed memory architecture

- Each processor/core only has access to its local memory
- Writes in one processor's memory have no effect on another processor's memory




Non-uniform Memory Access (NUMA)




Distributed memory

Distributed memory architecture

- Each processor/core only has access to its local memory
- Writes in one processor's memory have no effect on another processor's memory



Non-uniform Memory Access (NUMA)




Distributed memory

Programming models

- Shared memory model: All threads have access to all of the memory
 - Pthreads, OpenMP
- Distributed memory model: Each process has access to their own local memory
 - Also sometimes referred to as message passing
 - MPI, Charm++
- Hybrid models: Use both shared and distributed memory models together
 - MPI+OpenMP, Charm++ (SMP mode)

Distributed memory programming models

- Each process only has access to its own local memory / address space
- When it needs data from remote processes, it has to send messages




Process 0

Process 1

Process 2


Process 3

Time



Message passing

- Each process runs in its own address space
 - Access to only their memory (no shared data)
- Use special routines to exchange data



Message passing programs

- A parallel message passing program consists of independent processes
 - Processes created by a launch/run script
- Each process runs the same executable, but potentially different parts of the program
- Often used for SPMD style of programming

Message passing history

- PVM (Parallel Virtual Machine) was developed in 1989-1993
- MPI forum was formed in 1992 to standardize message passing models and MPI 1.0 was released around 1994
 - v2.0 - 1997
 - v3.0 - 2012

Message Passing Interface (MPI)

- It is an interface standard — defines the operations / routines needed for message passing
- Implemented by vendors and academics for different platforms
 - Meant to be “portable”: ability to run the same code on different platforms without modifications
- Some popular implementations are MPICH, MVAPICH, OpenMPI

Hello world in MPI

```
#include "mpi.h"
#include <stdio.h>

int main(int argc, char *argv[]) {
    int rank, size;
    MPI_Init(&argc, &argv);

    MPI_Comm_rank(MPI_COMM_WORLD, &rank);
    MPI_Comm_size(MPI_COMM_WORLD, &size);
    printf("Hello world! I'm %d of %d\n", rank, size);

    MPI_Finalize();
    return 0;
}
```

Compiling and running an MPI program

- Compiling:

```
mpicc -o hello hello.c
```

- Running:

```
mpirun -n 2 ./hello
```

Process creation / destruction

- `int MPI_Init(int argc, char **argv)`
 - Initializes the MPI execution environment
- `int MPI_Finalize(void)`
 - Terminates MPI execution environment

Process identification

- `int MPI_Comm_size(MPI_Comm comm, int *size)`
 - Determines the size of the group associated with a communicator
- `int MPI_Comm_rank(MPI_Comm comm, int *rank)`
 - Determines the rank (ID) of the calling process in the communicator
- **Communicator** — a set of processes
 - Default communicator: `MPI_COMM_WORLD`

Send a message

```
int MPI_Send( const void *buf, int count, MPI_Datatype datatype,  
int dest, int tag, MPI_Comm comm )
```

buf: address of send buffer

count: number of elements in send buffer

datatype: datatype of each send buffer element

dest: rank of destination process

tag: message tag

comm: communicator

Receive a message

```
int MPI_Recv( void *buf, int count, MPI_Datatype datatype, int
source, int tag, MPI_Comm comm, MPI_Status *status )
```

buf: address of receive buffer

status: status object

count: maximum number of elements in receive buffer

datatype: datatype of each receive buffer element

source: rank of source process

tag: message tag

comm: communicator

Simple send/receive in MPI


```
int main(int argc, char *argv) {
    ...
    MPI_Comm_rank(MPI_COMM_WORLD, &rank);
    MPI_Comm_size(MPI_COMM_WORLD, &size);

    int data;
    if (rank == 0) {
        data = 7;
        MPI_Send(&data, 1, MPI_INT, 1, 0, MPI_COMM_WORLD);
    } else if (rank == 1) {
        MPI_Recv(&data, 1, MPI_INT, 0, 0, MPI_COMM_WORLD, MPI_STATUS_IGNORE);
        printf("Process 1 received data %d from process 0\n", data);
    }

    ...
}
```


Basic MPI_Send and MPI_Recv

- MPI_Send and MPI_Recv routines are blocking
 - Only return when the buffer specified in the call can be used
 - Send: Returns once sender can reuse the buffer
 - Recv: Returns once data from Recv is available in the buffer




Basic MPI_Send and MPI_Recv

- MPI_Send and MPI_Recv routines are blocking
 - Only return when the buffer specified in the call can be used
 - Send: Returns once sender can reuse the buffer
 - Recv: Returns once data from Recv is available in the buffer



Basic MPI_Send and MPI_Recv

- MPI_Send and MPI_Recv routines are blocking
 - Only return when the buffer specified in the call can be used
 - Send: Returns once sender can reuse the buffer
 - Recv: Returns once data from Recv is available in the buffer



Example program

```
int main(int argc, char *argv) {  
    ...  
    MPI_Comm_rank(MPI_COMM_WORLD, &rank);  
    ...  
    if (rank % 2 == 0) {  
        data = rank;  
        MPI_Send(&data, 1, MPI_INT, rank+1, 0, ...);  
    } else {  
        data = rank * 2;  
        MPI_Recv(&data, 1, MPI_INT, rank-1, 0, ...);  
  
        ...  
        printf("Process %d received data %d\n", data);  
    }  
    ...  
}
```

0 rank = 0

1 rank = 1

2 rank = 2

3 rank = 3

Time



Example program


```
int main(int argc, char *argv) {
    ...
    MPI_Comm_rank(MPI_COMM_WORLD, &rank);
    ...
    if (rank % 2 == 0) {
        data = rank;
        MPI_Send(&data, 1, MPI_INT, rank+1, 0, ...);
    } else {
        data = rank * 2;
        MPI_Recv(&data, 1, MPI_INT, rank-1, 0, ...);
    }
    ...
    printf("Process %d received data %d\n", data);
}
...
```

0	rank = 0	data = 0
1	rank = 1	data = 2
2	rank = 2	data = 2
3	rank = 3	data = 6

Time 


Example program

```
int main(int argc, char *argv) {  
    ...  
    MPI_Comm_rank(MPI_COMM_WORLD, &rank);  
    ...  
    if (rank % 2 == 0) {  
        data = rank;  
        MPI_Send(&data, 1, MPI_INT, rank+1, 0, ...);  
    } else {  
        data = rank * 2;  
        MPI_Recv(&data, 1, MPI_INT, rank-1, 0, ...);  
  
        ...  
        printf("Process %d received data %d\n", data);  
    }  
    ...  
}
```




Example program

```
int main(int argc, char *argv) {  
    ...  
    MPI_Comm_rank(MPI_COMM_WORLD, &rank);  
    ...  
    if (rank % 2 == 0) {  
        data = rank;  
        MPI_Send(&data, 1, MPI_INT, rank+1, 0, ...);  
    } else {  
        data = rank * 2;  
        MPI_Recv(&data, 1, MPI_INT, rank-1, 0, ...);  
    }  
    ...  
    printf("Process %d received data %d\n", data);  
}  
    ...  
}
```



Example program

```
int main(int argc, char *argv) {  
    ...  
    MPI_Comm_rank(MPI_COMM_WORLD, &rank);  
    ...  
    if (rank % 2 == 0) {  
        data = rank;  
        MPI_Send(&data, 1, MPI_INT, rank+1, 0, ...);  
    } else {  
        data = rank * 2;  
        MPI_Recv(&data, 1, MPI_INT, rank-1, 0, ...);  
    }  
    ...  
    printf("Process %d received data %d\n", data);  
}  
    ...  
}
```



MPI communicators

- Communicator represents a group or set of processes numbered 0, ... , n-1
- Every program starts with `MPI_COMM_WORLD` (default communicator)
 - Defined by the MPI runtime, this group includes all processes
- Several MPI routines to create sub-communicators
 - `MPI_Comm_split`
 - `MPI_Cart_create`
 - `MPI_Group_incl`

MPI datatypes

- Can be a pre-defined one: MPI_INT, MPI_CHAR, MPI_DOUBLE, ...
- Derived or user-defined datatypes:
 - Array of elements of another datatype
 - struct data type to accomodate sending multiple datatypes



UNIVERSITY OF
MARYLAND

Abhinav Bhatele

5218 Brendan Iribe Center (IRB) / College Park, MD 20742

phone: 301.405.4507 / e-mail: bhatele@cs.umd.edu