

CMSC 412 – S14 (lect 22)

copyright 2011 Jeffrey K. Hollingsworth

Security

• security vs. protection

- protection provides a mechanism to control access to resources
- security also includes external features such as users
- security requires precluding unauthorized
 - access to data
 - modification of data
 - destruction of data
- several major types of security
 - physical: must protect access to resource it self
 - if you have physical access to a machine, you can break security.
 - users: if a user gives away access (or info) computer security if useless
 - software: OS and system software must provide protection

Who do you trust?

- It's easy to get paranoid
- Do I trust a login prompt?
- Do I trust the OS that I got from the vendor?
- Do I trust the system staff?
 - should I encrypt all my files?
- Networking
 - do you trust the network provider?
 - do you trust the phone company?
- How do you bootstrap security?
 - always need one "out of band" transfer to get going

Computer Threat Model

• must consider acceptable risks

- value of item to be protected
- \$2,000 of computer time to steal 50 cents of data
 - this is a sufficient deter someone
 - but computers keep getting faster
- Basic Ideas:
 - confine access to only the highest level needed
 - run programs as root only if needed
 - don't give system access to all users

Authentication

- How does the computer know who is using it?
 - need to exchange some information to verify the user
 - types of information exchanged:
 - pins
 - numeric passwords
 - too short to be secure in most cases
 - passwords
 - a string of letters and numbers
 - often easy to guess
 - challenge/response pairs
 - user needs to be apply to apply a specific algorithm
 - often involve use of a calculator like device
 - can be combined with passwords
 - unique attributes of the person
 - i.e. signature, thumb print, DNA?
 - sometimes these features can change during life

Authentication (cont.)

- How does a user know what computer they are using?
- Need to have *mutual authentication*
 - computer presents some information that only it could contain
 - example: Windows <ctrl>-<alt>- to login
 - user software can't trap that information
 - assumes that the kernel itself is secure

• telephone example:

- never give banking/credit card info over the phone unless you placed the phone call
 - i.e. you use the telco namespace for authentication

Example (UNIX passwords)

• use a function that is hard to invert

- "easy" to compute f(x) given x
- hard to compute x given f(x)
- the function used is a variation on the DES, MD5 SHA1 algorithms
 - changes selected items in the transformation matrix to prevent hardware attacks
- store only f(x) in the filesystem

• to login:

- user supplies a password x'
- compute f(x') and compare to f(x)

salt

- add an extra two characters to x so that the same x will produce different values on different machines
- need to store salt along with password
- dictionary attach
 - if its to easy to compute f(x)
 - can "guess" many passwords and try them out
 - salt makes this much harder

CMSC 412 – S14 (lect 22)

copyright 2011 Jeffrey K. Hollingsworth

Types of Software Threats (Malware)

• Trojan Horse

- a program that looks like a normal program
- for example a login program written by a user
- UNIX example: never put "." early in your path
- Trap door
 - hole left by the programmers to let them into the system
 - "system" password set to a default value by the vendor
- Worms
 - programs that clone themselves and use resources
 - Internet worm:
 - exploited several bugs and "features" in UNIX
 - .rhosts files
 - bug in finger command (overwrite strings)
 - sendmail "debug" mode to run commands

Viruses

- Most common on systems with little security
 - easy to write to boot blocks, system software
 - never run untrusted software with special privileges
 - Don't perform daily operations with root/system privileges
- Possible to write system independent viruses
 - MS Word virus
 - uses macros to call into the OS
 - HTML (javascript)
 - Flash