

Coloring a Graph

Graph Coloring

Given an undirected graph, can we assign a color to each vertex such that no adjacent vertices have the same color?

- If we have $|V|$ colors, then yes.
- What if we have 2 colors? 3? k ?

We actually did the 2-coloring problem as a homework problem.

What was its runtime?

How much harder do you think deciding whether 3-coloring can be done will be?

Coloring a Graph

Let's consider the following algorithm for coloring a graph:

- Number your vertices from 1 to $|V|$.
- Assign color 1 to vertex 1.
- for $i=2$ to $|V|$ {color vertex i with the lowest color number that has not been assigned to one of its neighbors}

See how many colors you used...

- What is the runtime of this?
- Is this guaranteed to be an *optimal* coloring of any given graph in terms of the number of colors used?

Coloring a Graph Differently

Let's consider the following modified version of that algorithm which I will call *GreedyAppxColor* for coloring a graph:

- Sort the vertices in descending order based on their degree and then number them from 1 to $|V|$ where vertex 1 has the highest degree.
- Assign color 1 to vertex 1.
- for $i=2$ to $|V|$ {color vertex i with the lowest color number that has not been assigned to one of its neighbors}

- What is the runtime of this?
- Is this guaranteed to be an optimal coloring of any given graph?

3-Color

The 3-coloring problem is
NP-Complete!

We will soon discuss
exactly what this means...

Sudoku as a Graph Problem

How could you convert a Sudoku
game into a graph problem?

- What are the vertices?
- What are the edges?

Specific types of graphs...

There are **proofs** and **conjectures** about certain types of graphs and the ability to color them with various numbers of colors...

A valid proof closes the question.

A conjecture is really just a guess. It might be a reasonable-sounding guess made by a well-respected person, but it is still a guess...