

Finding Small Dominating Set Via the Prob Method

William Gasarch-U of MD

Dominating Sets

Def Let $G = (V, E)$ be a graph. $D \subseteq V$ is a **dominating set** if

$$(\forall v \in V)[v \in D \vee (\exists y \in D)[(x, y) \in E]].$$

Dominating Sets

Def Let $G = (V, E)$ be a graph. $D \subseteq V$ is a **dominating set** if

$$(\forall v \in V)[v \in D \vee (\exists y \in D)[(x, y) \in E]].$$

Easy Every graph has a dominating set of size n : $D = V$.

Dominating Sets

Def Let $G = (V, E)$ be a graph. $D \subseteq V$ is a **dominating set** if

$$(\forall v \in V)[v \in D \vee (\exists y \in D)[(x, y) \in E]].$$

Easy Every graph has a dominating set of size n : $D = V$.

Question Does every graph have a **smaller** dominating set?

Dominating Sets

Def Let $G = (V, E)$ be a graph. $D \subseteq V$ is a **dominating set** if

$$(\forall v \in V)[v \in D \vee (\exists y \in D)[(x, y) \in E]].$$

Easy Every graph has a dominating set of size n : $D = V$.

Question Does every graph have a **smaller** dominating set?

Answer No- take the graph with n vertices and no edges.

Dominating Sets

Def Let $G = (V, E)$ be a graph. $D \subseteq V$ is a **dominating set** if

$$(\forall v \in V)[v \in D \vee (\exists y \in D)[(x, y) \in E]].$$

Easy Every graph has a dominating set of size n : $D = V$.

Question Does every graph have a **smaller** dominating set?

Answer No- take the graph with n vertices and no edges.

Modify the Problem What if we assume the min degree is $\geq d$?

Dominating Sets

Def Let $G = (V, E)$ be a graph. $D \subseteq V$ is a **dominating set** if

$$(\forall v \in V)[v \in D \vee (\exists y \in D)[(x, y) \in E]].$$

Easy Every graph has a dominating set of size n : $D = V$.

Question Does every graph have a **smaller** dominating set?

Answer No- take the graph with n vertices and no edges.

Modify the Problem What if we assume the min degree is $\geq d$?

We sketch a proof that every graph with min degree d has a dominating set of size $\leq f(n, d)$ where $f(n, d) < n$.

Theorem on Dom Set

Thm If $G = (V, E)$ is a graph on n vertices with $\min \text{ degree} \geq d$ then G has a dominating set of size $\leq f(n, d)$.

Theorem on Dom Set

Thm If $G = (V, E)$ is a graph on n vertices with $\min \text{ degree} \geq d$ then G has a dominating set of size $\leq f(n, d)$.

Pf p is prob TBD.

Theorem on Dom Set

Thm If $G = (V, E)$ is a graph on n vertices with $\min \text{ degree} \geq d$ then G has a dominating set of size $\leq f(n, d)$.

Pf p is prob TBD.

Pick $X \subseteq V$ as follows: For every $v \in V$ choose x with prob p .

Theorem on Dom Set

Thm If $G = (V, E)$ is a graph on n vertices with min degree $\geq d$ then G has a dominating set of size $\leq f(n, d)$.

Pf p is prob TBD.

Pick $X \subseteq V$ as follows: For every $v \in V$ choose x with prob p .

Each $v \in V$ has prob p of being chosen, so $E(|X|) = pn$.

Theorem on Dom Set

Thm If $G = (V, E)$ is a graph on n vertices with min degree $\geq d$ then G has a dominating set of size $\leq f(n, d)$.

Pf p is prob TBD.

Pick $X \subseteq V$ as follows: For every $v \in V$ choose x with prob p .

Each $v \in V$ has prob p of being chosen, so $E(|X|) = pn$.

Let $Y \subseteq V - X$ that DO NOT have an edge to an elt of X .

Theorem on Dom Set

Thm If $G = (V, E)$ is a graph on n vertices with min degree $\geq d$ then G has a dominating set of size $\leq f(n, d)$.

Pf p is prob TBD.

Pick $X \subseteq V$ as follows: For every $v \in V$ choose x with prob p .

Each $v \in V$ has prob p of being chosen, so $E(|X|) = pn$.

Let $Y \subseteq V - X$ that DO NOT have an edge to an elt of X .

If $v \in V$ then prob that $v \in Y$ is prod of the following

Theorem on Dom Set

Thm If $G = (V, E)$ is a graph on n vertices with min degree $\geq d$ then G has a dominating set of size $\leq f(n, d)$.

Pf p is prob TBD.

Pick $X \subseteq V$ as follows: For every $v \in V$ choose x with prob p .

Each $v \in V$ has prob p of being chosen, so $E(|X|) = pn$.

Let $Y \subseteq V - X$ that DO NOT have an edge to an elt of X .

If $v \in V$ then prob that $v \in Y$ is prod of the following

- ▶ Prob $v \notin X$. That's $(1 - p)$.

Theorem on Dom Set

Thm If $G = (V, E)$ is a graph on n vertices with min degree $\geq d$ then G has a dominating set of size $\leq f(n, d)$.

Pf p is prob TBD.

Pick $X \subseteq V$ as follows: For every $v \in V$ choose x with prob p .

Each $v \in V$ has prob p of being chosen, so $E(|X|) = pn$.

Let $Y \subseteq V - X$ that DO NOT have an edge to an elt of X .

If $v \in V$ then prob that $v \in Y$ is prod of the following

- ▶ Prob $v \notin X$. That's $(1 - p)$.
- ▶ Prob that all $\geq d$ neighbors of v are not in X . That's $\leq (1 - p)^d$.

Theorem on Dom Set

Thm If $G = (V, E)$ is a graph on n vertices with min degree $\geq d$ then G has a dominating set of size $\leq f(n, d)$.

Pf p is prob TBD.

Pick $X \subseteq V$ as follows: For every $v \in V$ choose x with prob p .

Each $v \in V$ has prob p of being chosen, so $E(|X|) = pn$.

Let $Y \subseteq V - X$ that DO NOT have an edge to an elt of X .

If $v \in V$ then prob that $v \in Y$ is prod of the following

- ▶ Prob $v \notin X$. That's $(1 - p)$.
- ▶ Prob that all $\geq d$ neighbors of v are not in X . That's $\leq (1 - p)^d$.

Hence prob $v \in Y$ is $\leq (1 - p)^{d+1}$. Hence $E(|Y|) \leq n(1 - p)^{d+1}$.

Theorem on Dom Set

Thm If $G = (V, E)$ is a graph on n vertices with min degree $\geq d$ then G has a dominating set of size $\leq f(n, d)$.

Pf p is prob TBD.

Pick $X \subseteq V$ as follows: For every $v \in V$ choose x with prob p .

Each $v \in V$ has prob p of being chosen, so $E(|X|) = pn$.

Let $Y \subseteq V - X$ that DO NOT have an edge to an elt of X .

If $v \in V$ then prob that $v \in Y$ is prod of the following

- ▶ Prob $v \notin X$. That's $(1 - p)$.
- ▶ Prob that all $\geq d$ neighbors of v are not in X . That's $\leq (1 - p)^d$.

Hence prob $v \in Y$ is $\leq (1 - p)^{d+1}$. Hence $E(|Y|) \leq n(1 - p)^{d+1}$.

Note that (1) $X \cup Y$ is a dominating set, and (2)

Theorem on Dom Set

Thm If $G = (V, E)$ is a graph on n vertices with min degree $\geq d$ then G has a dominating set of size $\leq f(n, d)$.

Pf p is prob TBD.

Pick $X \subseteq V$ as follows: For every $v \in V$ choose x with prob p .

Each $v \in V$ has prob p of being chosen, so $E(|X|) = pn$.

Let $Y \subseteq V - X$ that DO NOT have an edge to an elt of X .

If $v \in V$ then prob that $v \in Y$ is prod of the following

- ▶ Prob $v \notin X$. That's $(1 - p)$.
- ▶ Prob that all $\geq d$ neighbors of v are not in X . That's $\leq (1 - p)^d$.

Hence prob $v \in Y$ is $\leq (1 - p)^{d+1}$. Hence $E(|Y|) \leq n(1 - p)^{d+1}$.

Note that (1) $X \cup Y$ is a dominating set, and (2)

$$E(|X \cup Y|) = E(|X|) + E(|Y|) \leq np + n(1 - p)^{d+1}.$$

Picking p : Set Up

$$E(|X \cup Y|) = E(|X|) + E(|Y|) \leq np + n(1 - p)^{d+1}.$$

Picking p : Set Up

$$E(|X \cup Y|) = E(|X|) + E(|Y|) \leq np + n(1 - p)^{d+1}.$$

Want to pick p to minimize this, but that's messy. Instead:

Picking p : Set Up

$$E(|X \cup Y|) = E(|X|) + E(|Y|) \leq np + n(1 - p)^{d+1}.$$

Want to pick p to minimize this, but that's messy. Instead:

$$np + (1 - p)^{d+1} \leq np + ne^{-p(d+1)}$$

Picking p : Set Up

$$E(|X \cup Y|) = E(|X|) + E(|Y|) \leq np + n(1 - p)^{d+1}.$$

Want to pick p to minimize this, but that's messy. Instead:

$$np + (1 - p)^{d+1} \leq np + ne^{-p(d+1)}$$

Want to pick p to minimize this. Will do it on next slide.

Picking p to Minimizing $E(|X \cup Y|)$

We need to minimize the following function on the interval $[0, 1]$.

$$f(p) = np + ne^{-p(d+1)}$$

$$f'(p) = n + n(-(d+1))e^{-p(d+1)} \text{ Set to 0}$$

Picking p to Minimizing $E(|X \cup Y|)$

We need to minimize the following function on the interval $[0, 1]$.

$$f(p) = np + ne^{-p(d+1)}$$

$$f'(p) = n + n(-(d+1))e^{-p(d+1)} \text{ Set to 0}$$

$$n - n(d+1)e^{-p(d+1)} = 0$$

Picking p to Minimizing $E(|X \cup Y|)$

We need to minimize the following function on the interval $[0, 1]$.

$$f(p) = np + ne^{-p(d+1)}$$

$$f'(p) = n + n(-(d+1))e^{-p(d+1)} \text{ Set to 0}$$

$$n - n(d+1)e^{-p(d+1)} = 0$$

$$1 - (d+1)e^{-p(d+1)} = 0$$

Picking p to Minimizing $E(|X \cup Y|)$

We need to minimize the following function on the interval $[0, 1]$.

$$f(p) = np + ne^{-p(d+1)}$$

$$f'(p) = n + n(-(d+1))e^{-p(d+1)} \text{ Set to 0}$$

$$n - n(d+1)e^{-p(d+1)} = 0$$

$$1 - (d+1)e^{-p(d+1)} = 0$$

$$1 = (d+1)e^{-p(d+1)}$$

Picking p to Minimizing $E(|X \cup Y|)$

We need to minimize the following function on the interval $[0, 1]$.

$$f(p) = np + ne^{-p(d+1)}$$

$$f'(p) = n + n(-(d+1))e^{-p(d+1)} \text{ Set to 0}$$

$$n - n(d+1)e^{-p(d+1)} = 0$$

$$1 - (d+1)e^{-p(d+1)} = 0$$

$$1 = (d+1)e^{-p(d+1)}$$

$$(d+1)^{-1} = e^{-p(d+1)}$$

Picking p to Minimizing $E(|X \cup Y|)$

We need to minimize the following function on the interval $[0, 1]$.

$$f(p) = np + ne^{-p(d+1)}$$

$$f'(p) = n + n(-(d+1))e^{-p(d+1)} \text{ Set to 0}$$

$$n - n(d+1)e^{-p(d+1)} = 0$$

$$1 - (d+1)e^{-p(d+1)} = 0$$

$$1 = (d+1)e^{-p(d+1)}$$

$$(d+1)^{-1} = e^{-p(d+1)}$$

$$-\ln(d+1) = -p(d+1)$$

Picking p to Minimizing $E(|X \cup Y|)$

We need to minimize the following function on the interval $[0, 1]$.

$$f(p) = np + ne^{-p(d+1)}$$

$$f'(p) = n + n(-(d+1))e^{-p(d+1)} \text{ Set to 0}$$

$$n - n(d+1)e^{-p(d+1)} = 0$$

$$1 - (d+1)e^{-p(d+1)} = 0$$

$$1 = (d+1)e^{-p(d+1)}$$

$$(d+1)^{-1} = e^{-p(d+1)}$$

$$-\ln(d+1) = -p(d+1)$$

$$\ln(d+1) = p(d+1)$$

Picking p to Minimizing $E(|X \cup Y|)$

We need to minimize the following function on the interval $[0, 1]$.

$$f(p) = np + ne^{-p(d+1)}$$

$$f'(p) = n + n(-(d+1))e^{-p(d+1)} \text{ Set to 0}$$

$$n - n(d+1)e^{-p(d+1)} = 0$$

$$1 - (d+1)e^{-p(d+1)} = 0$$

$$1 = (d+1)e^{-p(d+1)}$$

$$(d+1)^{-1} = e^{-p(d+1)}$$

$$-\ln(d+1) = -p(d+1)$$

$$\ln(d+1) = p(d+1)$$

$$p = \frac{\ln(d+1)}{d+1}$$

Back to our Problem

$$E(|X \cup Y|) \leq np + ne^{-p(d+1)} = n(p + e^{-p(d+1)})$$

$$p = \frac{\ln(d+1)}{d+1}$$

Back to our Problem

$$E(|X \cup Y|) \leq np + ne^{-p(d+1)} = n(p + e^{-p(d+1)})$$

$$p = \frac{\ln(d+1)}{d+1}$$

$$p + e^{-p(d+1)} = p + e^{-\ln(d+1)} = \frac{\ln(d+1)}{d+1} + \frac{1}{d+1} = \frac{\ln(d+1) + 1}{d+1}$$

Back to our Problem

$$E(|X \cup Y|) \leq np + ne^{-p(d+1)} = n(p + e^{-p(d+1)})$$

$$p = \frac{\ln(d+1)}{d+1}$$

$$p + e^{-p(d+1)} = p + e^{-\ln(d+1)} = \frac{\ln(d+1)}{d+1} + \frac{1}{d+1} = \frac{\ln(d+1) + 1}{d+1}$$

$$E(|X \cup Y|) \leq n \left(\frac{\ln(d+1) + 1}{d+1} \right)$$

Back to our Problem

$$E(|X \cup Y|) \leq np + ne^{-\rho(d+1)} = n(p + e^{-\rho(d+1)})$$

$$p = \frac{\ln(d+1)}{d+1}$$

$$p + e^{-\rho(d+1)} = p + e^{-\ln(d+1)} = \frac{\ln(d+1)}{d+1} + \frac{1}{d+1} = \frac{\ln(d+1) + 1}{d+1}$$

$$E(|X \cup Y|) \leq n \left(\frac{\ln(d+1) + 1}{d+1} \right)$$

How good is this? Next Slide.

Table of $d:10-100$

d	$\frac{\ln(d+1)+1}{d+1}$
10	0.3089
20	0.192596
30	0.143032
40	0.114965
50	0.0967025
60	0.0837848
70	0.0741223
80	0.0665981
90	0.0605589
100	0.0555953

Table of $d100-1000$

d	$\frac{\ln(d+1)+1}{d+1}$
100	0.0555953
200	0.0313597
300	0.0222828
400	0.0174413
500	0.0144044
600	0.0123105
700	0.0107739
800	0.00959533
900	0.00866094
1000	0.00790085

Table of $d1000-10000$

d	$\frac{\ln(d+1)+1}{d+1}$
1000	0.00790085
2000	0.00429855
3000	0.00300123
4000	0.00232299
5000	0.0019031
6000	0.00161634
7000	0.00140749
8000	0.00124826
9000	0.00112266
10000	0.00102094

Examples

Examples

1. If a graph has min degree ≥ 100 then there is DS size $\leq 0.06n, \frac{3n}{50}$.

Examples

1. If a graph has min degree ≥ 100 then there is DS size $\leq 0.06n, \frac{3n}{50}$.
2. If a graph has min degree ≥ 1000 then there is DS size $\leq 0.008n, \frac{2n}{250}$.

Examples

1. If a graph has min degree ≥ 100 then there is DS size $\leq 0.06n, \frac{3n}{50}$.
2. If a graph has min degree ≥ 1000 then there is DS size $\leq 0.008n, \frac{2n}{250}$.
3. If a graph has min degree ≥ 10000 then there is DS size $\leq 0.002n, \frac{n}{500}$.

The Theorem Restated Completely

Thm If $G = (V, E)$ is a graph on n vertices with min degree $\geq d$ then G has a dominating set of size

$$\leq n \left(\frac{\ln(d+1) + 1}{d+1} \right).$$

The Theorem Restated Completely

Thm If $G = (V, E)$ is a graph on n vertices with min degree $\geq d$ then G has a dominating set of size

$$\leq n \left(\frac{\ln(d+1) + 1}{d+1} \right).$$

Pf

Since the Expected Value of the experiment produced a set of this size, there must be some set of \geq this size.

Other Information

DS is Dominating Set. OPT means the min size of a DS.
Alg means Poly Time Algorithm. We assume $P \neq NP$.

Other Information

DS is Dominating Set. OPT means the min size of a DS.

Alg means Poly Time Algorithm. We assume $P \neq NP$.

1. The above gives a fast rand alg to find a nontrivial Dom Set.

Other Information

DS is Dominating Set. OPT means the min size of a DS.

Alg means Poly Time Algorithm. We assume $P \neq NP$.

1. The above gives a fast rand alg to find a nontrivial Dom Set.
2. Finding the minimum size Dom Set is not in P.

Other Information

DS is Dominating Set. OPT means the min size of a DS.

Alg means Poly Time Algorithm. We assume $P \neq NP$.

1. The above gives a fast rand alg to find a nontrivial Dom Set.
2. Finding the minimum size Dom Set is not in P.
3. \exists an approx alg that returns DS of size $\leq \ln(n)OPT(G)$.

Other Information

DS is Dominating Set. OPT means the min size of a DS.

Alg means Poly Time Algorithm. We assume $P \neq NP$.

1. The above gives a fast rand alg to find a nontrivial Dom Set.
2. Finding the minimum size Dom Set is not in P.
3. \exists an approx alg that returns DS of size $\leq \ln(n)OPT(G)$.
4. $\forall \delta < 1$ there is no approx alg that returns a DS of size $\leq \delta \ln(n)OPT(G)$.

Other Information

DS is Dominating Set. OPT means the min size of a DS.

Alg means Poly Time Algorithm. We assume $P \neq NP$.

1. The above gives a fast rand alg to find a nontrivial Dom Set.
2. Finding the minimum size Dom Set is not in P.
3. \exists an approx alg that returns DS of size $\leq \ln(n)\text{OPT}(G)$.
4. $\forall \delta < 1$ there is no approx alg that returns a DS of size $\leq \delta \ln(n)\text{OPT}(G)$.
5. If you fix k and ask if there is a Dom Set of size k , can do in $n^{O(k)}$ time but likely not better ($W[2]$ -complete).

Other Information

DS is Dominating Set. OPT means the min size of a DS.

Alg means Poly Time Algorithm. We assume $P \neq NP$.

1. The above gives a fast rand alg to find a nontrivial Dom Set.
2. Finding the minimum size Dom Set is not in P.
3. \exists an approx alg that returns DS of size $\leq \ln(n)OPT(G)$.
4. $\forall \delta < 1$ there is no approx alg that returns a DS of size $\leq \delta \ln(n)OPT(G)$.
5. If you fix k and ask if there is a Dom Set of size k , can do in $n^{O(k)}$ time but likely not better ($W[2]$ -complete).
6. Fix Δ . Restrict to graphs with MAX degree Δ .

Other Information

DS is Dominating Set. OPT means the min size of a DS.

Alg means Poly Time Algorithm. We assume $P \neq NP$.

1. The above gives a fast rand alg to find a nontrivial Dom Set.
2. Finding the minimum size Dom Set is not in P.
3. \exists an approx alg that returns DS of size $\leq \ln(n)\text{OPT}(G)$.
4. $\forall \delta < 1$ there is no approx alg that returns a DS of size $\leq \delta \ln(n)\text{OPT}(G)$.
5. If you fix k and ask if there is a Dom Set of size k , can do in $n^{O(k)}$ time but likely not better ($W[2]$ -complete).
6. Fix Δ . Restrict to graphs with MAX degree Δ .
 - a) \exists approx alg that returns a DS of size $\leq O(\log \Delta)\text{OPT}(G)$.

Other Information

DS is Dominating Set. OPT means the min size of a DS.

Alg means Poly Time Algorithm. We assume $P \neq NP$.

1. The above gives a fast rand alg to find a nontrivial Dom Set.
2. Finding the minimum size Dom Set is not in P.
3. \exists an approx alg that returns DS of size $\leq \ln(n)\text{OPT}(G)$.
4. $\forall \delta < 1$ there is no approx alg that returns a DS of size $\leq \delta \ln(n)\text{OPT}(G)$.
5. If you fix k and ask if there is a Dom Set of size k , can do in $n^{O(k)}$ time but likely not better ($W[2]$ -complete).
6. Fix Δ . Restrict to graphs with MAX degree Δ .
 - a) \exists approx alg that returns a DS of size $\leq O(\log \Delta)\text{OPT}(G)$.
 - b) $\exists \delta$ st NO approx alg returns DS of size $\leq \delta \text{OPT}(G)$.